

9<sup>th</sup> April 2025

Dear Sir / Madam,

INVITATION TO TENDER FOR THE SUPPLY OF  
WiFi (Tender/2425/06)

You are invited to quote for the supply of the items as specified in the enclosed tender schedule. If you are not prepared to accept a partial order, please state this clearly on the tender schedule.

Your sealed tender, in duplicate should be clearly marked on the outside envelope: Tender for WiFi (Tender/2425/06).

The envelope should be addressed to “S.K.H. TSOI KUNG PO SECONDARY SCHOOL, 101 Chung Hau Street, Homantin, Kowloon” and arrive not later than 12:00pm on 29<sup>th</sup> April 2025. Late tenders will not be accepted. Your tender will remain open for 90 days from the “Closing Date”, and you may consider your tender to be unsuccessful if no order is placed with you within these 90 days. You are requested to note that unless Part II of the tender form is completed, the tender will not be considered.

If you are unable or do not wish to quote, it would be appreciated if you would return the tender form with reason to the above address at your earliest convenience.

Tender will be accepted on an \*‘overall’ / ~~‘group’~~ / ~~‘itemized’~~ basis.

Yours sincerely,

(Ms.) Tsang Pui Yu  
Principal

Encl.

Please delete as appropriate



The undersigned also acknowledges that the school may immediately terminate the contract upon the occurrence of any of the following events:

- (a) this company has engaged or is engaging in acts or activities that are likely to cause or constitute the occurrence of offences endangering national security or which would otherwise be contrary to the interest of national security;
- (b) the continued engagement of this company or the continued performance of the contract is contrary to the interest of national security; or
- (c) the school reasonably believes that any of the events mentioned above is about to occur.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ .

Name (in block letters): \_\_\_\_\_

Signature \_\_\_\_\_ in the capacity of \_\_\_\_\_ .

(State official position, e.g. Director, Manager, Secretary, etc.)

Duly authorized to sign tenders for and on behalf of :

\_\_\_\_\_

whose registered office is situated at \_\_\_\_\_

\_\_\_\_\_ Hong Kong.

Telephone No. \_\_\_\_\_ .Fax No. \_\_\_\_\_

TENDER

(1) Item No.	(2) Description / Specification	(3) Quantity required	(4) Unit Rate	(5) Total Amount (HK\$)	(6) Delivery Offered
1	WiFi (Tender/ 2425/06)  - Please also refer to Appendix (附件) for service details				

We/ I understand that if we/ I fail to supply the stores as offered in our / my tender upon accepting school's order, we are / I am prepared to pay the price difference to the school if such stores are obtained from elsewhere.

Company Chop

Name of Supplier : \_\_\_\_\_

Name and Signature of Person authorized to sign Tender

Name (in block letters) \_\_\_\_\_

Signature: \_\_\_\_\_

Date : \_\_\_\_\_

## **PART X – Wi-Fi REQUIREMENTS SPECIFICATION**

### **1. Introduction**

The Contractor is invited to

- Build up a Wi-Fi network in S.K.H. Tsoi Kung Po Secondary School; and
- Provide and maintain a Wi-Fi service through subscription mode.

### **2. Background**

The School will **enhance/top up** the IT infrastructure to set up the necessary Wi-Fi environment in the school premises (full Wi-Fi coverage in ALL classrooms) for supporting e-learning in class. Regarding the enhancement of Wi-Fi infrastructure, we would like to hire a contractor to design, build, operate and maintain the whole infrastructure and to pay for the service by subscription thereafter through a **subscription** model.

### **3. User Requirements**

This section specifies the user requirements of the School of the Wi-Fi network. The Contractor shall be capable of supporting the requirements set out below.

#### **3.1 Standard Provision**

- **Wi-Fi Internet Connectivity** – use Wi-Fi 6 network or above in a standard classroom or special room. The minimum number of classrooms to be covered shall be at least equal to the number of approved classes for the 2023/24 school year, that is, **43** classrooms.
- **Number of Concurrent Connections** – commensurate with the maximum number of students, say **40 tablets/expected**, in a class with at least **2.5Mbps/expected** upload/download bandwidth per connection
- **Number of classrooms using Wi-Fi concurrently.**
- **Authentication Method** – use 802.1x standard-based authentication and Hong Kong Education City single sign-on services.
- **Guest Wi-Fi landing page** – The Wi-Fi rental service must include a customizable landing page that prominently displays the school logo and clearly identifies the school upon connection.

- **Session Control** –Hong Kong Education City authentication service can support connecting one or multiple devices based on user group (student, teachers).
- **Internet Content Filtering Service** – Provide a Content delivery network topology (CDN) and Internet Content filtering profile commonly adopted by most schools with the ability to create black / White list filters and manage by vendors and schools.
- **Existing Network Facilities** – Do not rely on any existing school internal network. The Wi-Fi network shall be physically separated from the school network. Or support connecting school fiber to classroom network by school VLAN and POE+ or POE++ switch and separate internet connection.
- **Broadband Network** – use separate broadband for the Wi-Fi service. State otherwise if the existing broadband can be utilized for the service.
- **Managed Service** – operate the Wi-Fi and its networking devices using a managed service model and provide end-to-end service with a single point of contact, including configuration, provisioning of service, proactive remote monitoring, maintenance and regular reporting.
- **Service Level Agreement** – ensure at least 99.7% availability of the Wi-Fi service, support four-hour response time and four-hour service recovery with active monitoring, helpdesk support with support hours from Mon to Sat 8:00 am to 6:00 pm, and provide monthly monitoring reports for the School.
- **Contract End Arrangement** – All provisions of trunks, conduits, cables, LAN ports and power points shall be considered fixtures of the School and shall become the property of the School. The Contractor shall remove or keep those provisions according to the School's instruction. The contractor can remove the network equipment, such as switches, routers, and access points.
- **Network management portal** – A network management portal that allows schools to monitor the school network and Wi-Fi network in one place. The portal displays the Wi-Fi, network switch, and mobile device status.
- **Solution assurance and stability** – Accept only the brand's enterprise-grade solution and support up to 4 years of hardware warranty and life cycle. Any SME or consumer-grade solution will not be considered.

### 3.2 Add-on Service (to be aligned with Part Y)

- **Wi-Fi coverage** – to include special rooms and open areas
- **Broadband Service** – provide at least **1Gbps** Mbps Internet connection at school.
- **Authentication Method** – The authentication method shall include WPA2 Enterprise, 802.1x and MAC address filtering and user account system used by the school and support Microsoft 2016 AD server authentication (Radius), etc.
- **Session Control** – The guest Landing page shall support session control where the school can change access time
- **WLAN system access control** – specific request on MAC address filtering.
- **MAC Address Monitoring** – The lists of filtering and filtered MAC addresses are to be monitored by **the Contractor or the School**.
- **Internet Content Filtering Service** – Most schools commonly adopt Internet Content filtering profiles in Hong Kong with the ability to create black / Whitelist filters managed by vendors and schools.
- **E-Mail Filtering Service** – can integrate with email filtering to protect clients from email hazards.
- **Integration of networks** – system integration with existing network with secure design.
- **Internet addresses subscription & configuration** – for Internet access to school internal resources, via system integration
- **Monitoring of Wi-Fi network** – specific request on monitoring of Wi-Fi network by the Contractor and the School.
- **Redundancy** – increase the availability of the Wi-Fi service.
- **Support hours** – extended support hours and/or reduced time for recovery, the SLA must be 4 hours response and 4 hours onsite
- **Contract End Arrangement** – Other arrangements
- **Internet auto failover service by Mobile** – capable of supporting auto failover and failback when existing broadband is down.

### **3.3. Deliverables**

3.3.1 The Contractor is required to provide the following deliverables for the Wi-Fi network design:

- Master Activity Plan
- Network Configuration Report and Network Diagram
- Network Test Plan and Network Test Result Report
- Operation Manual for End User
- User Acceptance Test Plan
- Exit Plan

3.3.2 The Contractor is required to provide the monthly monitoring report with the following items:

- Network Health Report
- Network Usage Report
- Reporting of security incidents
- Reporting on trends and statistics of the incident and their analysis
- Reporting of the failure rate for all equipment with detailed fault analysis
- Problem log and incident log for critical failure of the network
- Statistical report on the type and no. of calls
- Summary of the outstanding enquiry for the month-to-date

## **4. Technical Specification (Standard Provision)**

### **4.1 Wi-Fi Network**

4.1.1 The Wi-Fi network's Wireless LAN (WLAN) System shall support a local-based WLAN Controller in a Managed model. Thus, a cloud-based Controller in school is not acceptable. The local-based WLAN Controller is capable of fully centralized provisioning, configuration, and monitoring of all APs' functionalities.

4.1.2 The thin client WLAN Access Point (AP) shall be a high-performance wireless network access device, which shall be connected with the Power over Ethernet (PoE) Access Switches via a Structured Cabling System.

4.1.3 The WLAN access points (APs) must be compatible with Wi-Fi 6 and conform to the IEEE 802.11a/b/g/n/ac Wave 2/ax standard or higher. They should support dual-band operation with a minimum configuration of 2x2:2 for the 2.4GHz and 5GHz bands, and include features such as OFDMA, MU-MIMO, and built-in smart antennas.

4.1.4 The Contractor shall design the WLAN System to provide the coverage for the required wireless coverage place. The received signal strength measurement from the Wi-Fi Service at the Wi-Fi client device (such as a tablet PC or notebook computer) is no worse than -68 dBm. The Contractor shall provide a certificate or test report to illustrate that the Wi-Fi client device for testing satisfies the power emission requirement.

4.1.5 The WLAN AP shall support PoE, WPA2, WPA3, IEEE 802.1x and certificate authentication.

4.1.6 The WLAN System shall support automatic channel selection, protocol filtering, multicast/broadcast storm filtering and load balancing.

4.1.7 The WLAN system shall allow single or multiple devices per user account to be authenticated using 802.1x and Hong Kong Education City single sign-on service.

4.1.8 Each WLAN AP shall be able to support at least 40 concurrent users

connecting to the network simultaneously. In no circumstance shall the data transmission speed symmetrically fall below the data rate requirement at any place, corner, or highly congested area within the areas being covered. In case the transmission speed is below the said data rates, the Contractor shall be responsible for all remedial measures to rectify or configure fine-tuning of the antenna or even increase the quantity of the WLAN AP at the Contractor's own costs in order to meet the data rate requirement as mentioned in the Specification. A complete set of catalogues with brand and model shall be submitted and highlighted for reference. The catalogues shall show all the features and technical specifications of the products and systems.

4.1.9 The WLAN shall allow different authentications by using Service Set Identifiers (SSIDs).

4.1.10 Individual APs shall be allowed to be assigned by more than one SSID and up to six SSIDs (Guest, Staff, Student, other). And support a separate VLAN for EMSD Wi-Fi device connection.

4.1.11 Antennas of APs shall be capable of detecting user locations in real time for direction switching while devices are in motion and beam forming.

4.1.12 The DHCP server shall support at least 30 queries/sec.

4.1.13 The WLAN system shall suspend the user's session once the session control has expired, and the school shall configure the suspension time.

4.1.14 The Contractor shall, in the provision of the service, comply with non-interference requirements of and shall not cause interference prohibited under the Telecommunication Ordinance (Cap 106) or any other laws or regulations of Hong Kong.

4.1.15 The WLAN System shall provide termination of idle sessions and control of the duration features.

4.1.16 The WLAN System shall support client roaming across Access Points.

4.1.17 The WLAN system shall cover all areas specified under this tender.

4.1.18 The quotation shall include the cost to provide sufficient quantity and the cabling work required, including but not limited to supplying and installing the Fibre optics, Cat 6 cable, Conduit, cable patch panel, cable faceplate, and Cable patch cord.

4.1.19 The Contractor shall provide a complete set of WLAN Systems, which consist of a Wireless Access Point, Connection Cable, Authentication System, Wireless LAN Controller, PoE Switch, horizontal UTP Cat 6 cable/OS2 Fiber, patch cable UTP Cat 6 / OS2 Fiber Optics, any required license and all associated accessories.

4.1.20 The Contractor shall ensure that there is no interference between WLAN Access Points due to limited non-overlapping channels assignment when the WLAN AP is installed. The Contractor shall be responsible at his own costs for providing solution to eliminate the interferences including but not limited to reassignment of the non-overlapping channels, adding extra APs with lower transmission power and/or replacement of the WLAN AP.

4.1.21 The WLAN System shall support Web GUI management.

4.1.22 FTP service shall not be allowed in the Wi-Fi network (to avoid exchanging credential and files in plain text without any encryption).

4.1.23 Mobile 5G Router for Mobile Internet Backup

- System Features:
  - Support fault alert
  - Support single view for the Wi-Fi and 5G status
  - Support auto failover between School Wi-Fi fixed broadband line and 5G network
- Mobile 5G Router:
  - Cellular: Standard compliant: 3GPP Release 15(both LTE and 5G)
  - LAN port: Support up to 2 x 1GE LAN Ports (RJ45)
- LED display:
  - Signal strength indicator

- 5G network status
- LAN Port status
- Peak data rate:
  - Sub-6 DL: 2.3Gbps
  - UL:1Gbps

4.1.25 The WLAN system deployed shall be the non-Asian brand.

## **4.2 Core Switch**

4.2.1 The Core Switch would be responsible for connecting all PoE access switches in typical floors for WLAN AP.

4.2.2 The Core Switch shall be capable of providing DHCP Services for IP addresses distribution for mobile devices connecting to the network, and the required bandwidth, QoS, and policy-based routing to carry all sorts of information including video, voice, data, image, etc.

4.2.3 Each Core Switch shall provide a Gigabit Ethernet connection to each PoE Access Switch in typical floors.

4.2.4 The Core Switch shall support Layer 2 and Layer 3 switching and capable of providing the wired speed performance.

4.2.5 The Core Switch shall support basic IP unicast routing protocols, Static route, Routing Information Protocol (RIPv1, RIPv2), inter VLAN routing.

4.2.6 The Core Switch shall support Internet Group Management Protocol (IGMP) snooping and multicast and unicast storm control, Spanning-Tree Protocol.

4.2.7 The Core Switch shall support WebGUI Management for contractor's support, Access Control Lists (ACLs), DHCP Interface and SNMP.

4.2.8 The Core Switch shall support VLANs including support for IEEE 802.1Q and IEEE 802.1p.

### **4.3 PoE Access Switch**

4.3.1 The Access Switches shall be deployed to provide high performance interconnectivity between the Core Switches and the WLAN APs on typical floor and support management

4.3.2 The Access Switch shall consist of 8/12/24/48 x 10/100/1000Base-T Ethernet ports, with the minimum of 1 x 1000Base-T / 1000Base-SX SFP Gigabit Ethernet uplink ports connected with the Core Switch.

4.3.3 The Access Switch shall be used for connecting the WLAN APs. The Contractor shall determine the Maximum power loading of the devices to be connected with the PoE Access Switches. The Contractor shall provide additional PoE Access Switch(es) if the total power loading summed up from the PoE devices exceeds the maximum power loading capacity of the PoE Access Switch.

4.3.4 The Access Switches shall support VLAN configuration.

4.3.5 The Access Switches shall be at wired speed.

4.3.6 The Access Switches shall be provided with sufficient port density to meet all the required links.

4.3.7 The Access Switches shall support PoE and conform to IEEE 802.af / IEEE 802.3af standard, which delivers power over a single copper UTP cable for WLAN AP.

4.3.8 The Access Switches shall support Internet Group Management Protocol (IGMP) snooping and multicast and unicast storm control, IEEE 802.1D Spanning-Tree Protocol.

4.3.9 The Access Switches shall support Virtual local area network (VLANs) including support for IEEE 802.1Q and IEEE 802.1p.

4.3.10 The Access Switches shall support WebGUI Management, Access Control Lists (ACLs), DHCP Relay and SNMP.

## **4.4 Firewall**

4.4.1 The performance of the Firewall shall not be degraded with 100% Internet bandwidth utilization.

4.4.2 Network Address Translation (NAT) is required.

4.4.3 Access Control Policy, Content Filtering and Anti-Malware services are required.

## **4.5 Service Requirements**

4.5.1 The Contractor shall be responsible for the total project management and shall assign a person to act as the single contact point to the School regarding all related activities of the contract. This single contact point cannot be transferred to a sub-contractor unless explicitly agreed by the School. Contractor should formally inform the School in writing if there is a change of contact point.

4.5.2 The Contractor shall provide rack/cabinet or use existing school rack if there is available rack space. All switches/firewall shall be properly installed into wall mounted cabinet or rack.

4.5.3 Cables shall be labelled with connected port and its device id.

4.5.4 All the equipment shall be labelled with an identifiable id.

4.5.5 The placement of cables, cabinets, racks and appliances shall be shown on the network diagram.

4.5.6 Switches and/or other appliances shall be properly installed into cabinet/rack with appropriate ventilation.

4.5.7 13A power cord(s) shall be bundled with appliance(s).

4.5.8 Cable shall be properly set up onto appropriate cable management guide.

4.5.9 Contractor should make sure that the actual environment is suitable for the installation and operation of equipment with School agreement in advance, and make necessary suggestions, if any.

#### **4.6 Service Level Requirements**

4.6.1 The Contractor shall provide incident/problem report to the School within 5 working days after each incident and the resolution taken.

4.6.2 The Contractor shall derive mechanism, including forms and reference tables for measuring and recording the Service Level Measures, to ease the administration and monitoring by the School.

4.6.3 Advance notice by at least 2 weeks shall be given to the School prior to all scheduled maintenance. At most, 4 scheduled maintenance per year are excluded from the calculation of Service Levels. No more than 1 hour of service interruption or an agreed time slot is accepted for each scheduled maintenance.

4.6.4 Service Level, expressed in percentage, is the ratio of actual available time to the scheduled available time for the Wi-Fi network of the School and is calculated according to the following formula:

Service Availability Level = (Schedule Uptime within the month – Unscheduled Downtime within the month) / Scheduled Uptime within the month, where

**Scheduled Uptime:** The duration, in units of minutes, of the School's Wi-Fi network is scheduled to be available for the month. The duration will exclude the scheduled downtime, defined as the duration agreed between the School and the Contractor during which the service may be deliberately made unavailable to users.

**Unscheduled Downtime:** The amount of time, in units of minutes, that the services are unavailable due to equipment failure or other reasons under the responsibility of the Contractor.

## **4.7 Service Level Rebates**

4.7.1 The Service Rebates to the School operate as liquidated damages for the performance fallen short of the target service levels over a period of one month. The service measures stipulated in 4.6 will be used to determine the Service Rebates in Service Availability (S1) and Service Resumption Time (S2).

4.7.2 The application of the Service Level Rebates adjustment to the monthly charge will commence effective from the acceptance of the reliability test.

4.7.3 For each month, the Service Rebates for different service measures (S1, S2) will be calculated as below if the Contractor cannot meet the target Service Levels for the Wi-Fi network of the School under the availability agreed:

Failure Hour x [(Yearly Subscription Fees) / (365 x 24)] x 2, where

Failure Hour: The unscheduled downtime or the time to resume the network due to the failure of hardware or software provided by the Contractor. Failure Hour is calculated in the increment of 0.5 Hour.

4.7.4 The Service Rebates of the School's Wi-Fi network, if any, will be paid by crediting the following month's invoice.

## **4.8 Helpdesk Service**

4.8.1 The Helpdesk Service shall maintain a dedicated hotline for enquiries and complaints, including phone, email and fax.

4.8.2 The Helpdesk Service shall answer enquiries and complaints from the School concerning the Service.

4.8.3 The Helpdesk Service shall operate at the Hong Kong location from Mon to Sat 8:00 am to 6:00 pm.

4.8.4 The Helpdesk Service shall maintain call logs on enquiries and complaints. The information should be included but not be limited to date, time, description of issues, contact information, and follow-up actions. The Contractor shall observe and comply with the Personal Data (Privacy) Ordinance in handling all information relating to these enquiries and complaints.

4.8.5 The Contractor shall provide the following information concerning the Helpdesk service related to the implementation of the Service:

- Detailed information about the helpdesk office, such as address, phone number, fax number, and
- Facilities, computer systems, and equipment are provided in the helpdesk office, such as private branch exchange (PBX), keyline telephone system (KTS), interactive voice response system (IVRS), and voice recording system.

4.8.6 The Contractor shall provide helpdesk staff with the necessary tools, including but not limited to hardware and software, as well as related training for supporting the Service.

4.8.7 The Contractor shall not use the Helpdesk Service to transmit any message or conduct any activity to the School that is not connected with the Service provision. The School shall have full discretion to determine whether any such message or activity is in breach of this provision. The Contractor shall forthwith stop transmitting such message or conducting such activity and refrain from doing it further once the School has notified the Contractor in writing or verbally of its determination.

## **4.9 User Acceptance Test**

4.9.1 The Contractor shall conduct tests with the School before the service is officially accepted and subscription started. Tests shall include a User Acceptance Test for the reliability and performance of the hardware and software, as well as the monitoring, operation support and all other aspects related to the Service Level Agreement of the Service. At least 14 school working days of the trial period are expected for service monitoring after testing.

4.9.2 The contractor will be required to perform the test by making reference to the User Acceptance Test and System Test documents at [www.edb.gov.hk/ited/Wi-Fi900](http://www.edb.gov.hk/ited/Wi-Fi900). They include the types of testing to be performed, the requirements to be tested, the testing environment, testing tools, and pass/fail criteria for the Contractor.

4.9.3 The Contractor shall, upon request by the School, arrange briefings to the School and/or Responsible Parties of the School, with briefing materials, prior to the User Acceptance Test when required.

4.9.4 The Contractor shall provide a detailed acceptance test plan and a step-by-step testing procedure with expected results against the requirements set out in this specification.

4.9.5 The Contractor shall provide, configure and set up the proper software and hardware for the School to carry out the User Acceptance Test.

4.9.6 The Contractor shall carry out tests to demonstrate that the equipment and system meet the specifications and other contractual requirements. The Contractor shall also be responsible for the timely preparation and compilation of all test schedules, test procedures and reports.

4.9.7 The Contractor shall follow the agreed standards as laid down in this specification for the testing methods and procedures.

4.9.8 The Contractor shall submit a schedule of site performance and commissioning tests at least three working days prior to the commencement of the scheduled commissioning date.

4.9.9 Special tools, test equipment, test objects, and simulators required for the demonstration of either bench or commissioning tests shall be made available by the Contractor at no extra charge to the School.

4.9.10 All test equipment the Contractor uses shall be properly and periodically calibrated. Measuring standards used in calibration shall be traceable to international or national measurement standards or an industry-recognized manufacturer's reference, subject to the approval of the School.

4.9.11 Calibration procedures and results shall be documented and signed by the certifying body where applicable. The Contractor may be requested to show evidence of calibration of test equipment by submission of copies of these calibration records prior to the conduction of any tests.

4.9.12 The Contractor shall submit the User Acceptance Test report within 3 working days. The acceptance of the installation will only be granted after receiving a satisfactorily UAT report from the Contractor.

4.9.13 All equipment to be installed may be subject to inspection and bench testing. The Contractor shall meet the cost of deliveries for bench test. Notwithstanding, the Contractor shall have carried out the tests in accordance with the requirements and procedures stipulated in this specification and submitted the associated test reports for inspection.

#### **4.10 Termination of Service**

4.10.1 The School reserves the right to terminate all or part of the Service at any time with written notice of 10 working days in advance if:

- The Contractor fails to meet the target service levels under Service Level Requirements for two consecutive months, or three months in total within the committed subscription period;
- The School suspects that unauthorized activity has occurred or is occurring in relation to the Service;
- The provision of the Service will cause the School to be in breach of any applicable law;

4.10.2 The Contractor shall provide to the School and implement the Exit Plan in accordance with:

- The Contractor shall provide to the School an Exit Plan with feasible arrangements before the committed subscription contract date;
- If the School considers the Exit Plan unsatisfactory, it will notify the Contractor with comments. The Contractor shall revise the Exit Plan by taking into consideration the School's comments and provide to the School with five (5) working days after the date of receiving the School's comments. If the Exit Plan has been considered as not satisfactory for three or more times, the School shall have the right to terminate this Contract by giving 10 days' notice in writing;
- Detailed exit procedures, disengagement timetable and actions to be taken by both the Contractor and the School for smooth termination of all or any part of the Service;
- The Exit Plan shall aim at enabling the School or its authorized parties to perform in substitution for the Contractor and to eliminate or minimize any disruption or deterioration of the Service. The Exit Plan shall contain, but not be limited to, the following information:
  - Detailed exit procedures, disengagement timetable and actions to be taken by both the Contractor and the School for smooth termination of all or any part of the Service;
  - Any information that is necessary for the School or a new service provider to continue the provision of the Service;
  - Details of the Contractor's personnel and other resources that will assist the School or the School's authorized parties during the handover;
  - All provisions of facilities, such as trunks, conduits, cables, LAN ports and power points, shall be considered fixtures of the School venues and shall become the property of the School. The Contractor shall remove or keep those provisions according to the School's instruction. The contractor can remove the network equipment, such as switches, routers, and access points.
- The Contractor shall be responsible for the implementation and execution of the Exit Plan and shall ensure that the exit plan is carried out in a timely and orderly manner.

#### **4.11 Wi-Fi Project Reference**

4.11.1 The Contractor shall have at least 200 or more Wi-Fi case experiences (including primary and secondary schools) and shall provide at least 10 referees' contact information

4.11.2 The contact information shall be provided during tender submission.

#### **5. Technical Specification (Add-on Requirement)**

None

#### **6. Wi-Fi.HK (optional service)**

6.1 The implementation of Wi-Fi.HK is advocated by the School, the decision of the implementation will not be served as a basis of discrimination for proposal evaluation.

6.2 To make it easier for the public and visitors to access free Wi-Fi services in Hong Kong, the Government is promoting the free Wi-Fi services offered by the public and private sectors in Hong Kong under a common Wi-Fi brand, "Wi-Fi.HK". It will help the public and visitors find and connect to the public Wi-Fi hotspots throughout Hong Kong. These free hotspots will be promoted under the Wi-Fi.HK brand is available through various means, such as Wi-Fi.HK thematic website and mobile app. Having a common brand in place will create more business opportunities for Wi-Fi.HK participating organizations promote and deliver their products and services to their customers by leveraging mobile technologies.

6.3 The contractor is invited to provide free Wi-Fi service riding on the same Wi-Fi network infrastructure using the Wi-Fi.HK SSID allows school visitors such as parents to access the Internet in schools, and such services shall incur no additional charge to the school.

6.4 The following are the requirements for Wi-Fi.HK scheme:

- Aggregated total of at least 30 minutes of free access time per day per device;
- Service available 24 hours x 7 days or as long as the venue is accessible to the user;
- All Access Points providing public Wi-Fi service be registered with OFCA;
- SSID of Access Points be presented in “Wi-Fi.HK via <designated name of service provider>” format;
- Landing page with Wi-Fi.HK logo, terms and conditions and disclaimers for user to accept for connection but no need for user to login using username or password;
- Hotline service, contact email or on-site support be provided for public enquiry and technical support; and
- Preferably with installation of digital server certificate issued by recognized certificate authority on the landing page so that users can easily discern the legitimacy of the Wi-Fi services.

6.5 The network for supporting Wi-Fi.HK shall not be allowed to have direct access to the School’s network. Connections via Wi-Fi.HK shall have access only to the Internet.

6.6 Content filtering is not a requirement for Wi-Fi.HK.

6.7 When the School terminates all or part of the Service, the Wi-Fi.HK service of the related area will be terminated together. The School also reserves the right to request the Contractor to terminate or suspend the Wi-Fi.HK service at any time.

6.8 More details of the scheme can be found at Wi-Fi.HK thematic website (<http://www.wi-fi.hk>).

## **7. Sub-Contracts**

7.1 The Tenderer shall be the prime Contractor for all the services specified in Part X and Part Y of this contract. The Tenderer shall be the single point of contact for all contractual matters.

7.2 The Tenderer shall be liable for the performance or breach of any

provisions of the contract by Sub-Contractors.

7.3 The Tenderer shall provide details of the sub-contract service for the Wi-Fi operation and maintenance of the Sub-Contractors in the format listed on Section 5 of Part Y. The hierarchy of the sub-contracting shall also be clearly stated below. If there are no Sub-Contractors, please enter nil.

7.4 No Sub-Contractor(s) specified in Section 5 of Part Y shall be replaced unless prior written consent has been given by the School.

7.5 The Tenderer shall ensure that the quality of the service rendered by the Tenderer shall not be affected by any change of Sub-Contractors;

7.6 The Tenderer shall not be relieved from any of its obligations hereunder by entering into any sub-contract for the performance of any part of this contract. If requested by the School, the Tenderer shall describe which part of the service shall be performed by the Sub-Contractor(s) in the Sub-contract (s) between the Tenderer and its Sub-Contractor(s).

## 8. Schedule of Work

8.1 The Contractor shall provide the service according to the following schedule.

Phase	Items	Starting Date	Ending Date	Service fee
I	Buildup of Wi-Fi network	On or before June 2025	4 July 2025	0
II	Subscription of service	5 July 2025	4 July 2028	Quoted price

## 9. Delay of Schedule

9.1 If the Contractor fails to provide any part of the Wi-Fi service which shall be ready for use in the School within 60 days after the target Ending Date specified in Section 8 of Schedule of Work, then notwithstanding anything else contained in this Contract, the School shall be entitled to terminate this Contract with forthwith by giving written notice to the Contractor and to recover from the Contractor the amount of all damages and loss suffered by the School resulting from such failure, including without limitation to any damages and loss resulting from the termination of related service orders.

9.2 Within one (1) week of the termination of this Contract, the Contractor shall collect its own Hardware and Software at his own cost after the Contractor has removed the School Data in the Hardware.

9.3 The Contractor shall reinstate and make good the concerned area of the School to the satisfaction of the School after the removal of the hardware.

## 10. Terms of Payment

10.1 The subscription will be paid in arrears of each month during the subscription period.

## **11.Price Proposal**

11.1 The Service Provider is required to provide a breakdown on the service charges for each of the service items as set out in the Price Proposal at **PART Y - PRICE SCHEDULE**. Failure in complying with this requirement will render the quotation disqualified.

11.2 Please note that, the School has the absolute discretion to accept the whole of the Services or just part of the Services as listed out by items in the Price Proposal.

11.3 Set up cost will not be considered as a part of the cost in subscription mode.

## **12. Invitation for Quotations**

12.1 Quotations are invited for the execution of the whole of the Services as described in this document. Quotations for part but not all of the Services will not be considered.

12.2 Please provide two sets of quotation documents for the quotation processing.

## **13. Tender Preparation and Submission**

13.1 The Service Provider is required to submit the following information and document.

- A Statement of Compliance to provide a response that the quotation complies with all requirements stated in this Specification.
- Price Schedule
- Schools shall pay no upfront cost or one-off cost throughout the entire subscription period.
- The proposed AP location mark is on the floor plan.
- Proposed Network infrastructure is shown on the Network Diagram.
- Implementation Plan.
- Wi-Fi Access Point certificates issued by OFCA.
- Product information, including technical and descriptive literature and catalogues. Information provided by the manufacturer shall be able to substantiate that the products offered meet the mandatory Technical Specification.

## **14. Site Visit**

14.1 For the purpose of facilitating the Service Provider's proposal of the quotation, the Service Provider could arrange site visits with schools.

## **15. Selection and Payment**

School is looking for a contractor based on the following criteria

- Proposed pricing
- Proposed solution

- Equipment and services level
- Case reference
- Other useful information

## **16. Enquiry**

For enquiry, please contact Mr. Chan Shun-hong of the School by phone at 2760 0463.

## PART Y - PRICE SCHEDULE

### 1. Price details for Standard Provision

<b>Standard Provision</b>	<b>3 years (Wifi 6)</b>	
	<b>Monthly price</b>	<b>Annual price</b>
<p>Wi-Fi Service Subscription (Requirement as stated in Part X)</p> <p><b><u>Total number of AP: 59 including:</u></b></p> <p>A. New Wing (4AP):  <b>1/F (3AP):</b> N01, N02, N03  <b>2/F (1AP):</b> Student Activity Room</p> <p>B. Old Wing (55):  <b>G/F (8AP):</b> Lower hall, DT room (2AP), Canteen (2AP), Chapel, G04, G05  <b>1/F (10AP):</b> Hall (2AP), General office, Staff room 1 (2AP), Staff room 2, Staff room 3, Staff room 4, Principal room, Library  <b>2/F (10AP) :</b> 201, 202, 203, 204, 205, 206, 207, Computer room 1, VA room, English room  <b>3/F (9AP):</b> 301, 302, 303, 304, 305, 306, 307, Computer</p>		

Standard Provision	3 years (Wifi 6)	
	Monthly price	Annual price
room 2, HE room, <b>4/F (9AP):</b> 401, 402, 403, 404, 405, 406, Bio lab, Phy lab, SEN room <b>5/F (8AP) :</b> 501, 502, 503, 504, 505, 506, IS lab, Chem lab <b>6/F (1AP) :</b> Music room  The Wifi System shall support 40 concurrent connections (each room) at least		
Total in HK\$		

**2. Price details for Add-on Services (Offer will be considered on itemized basis)**

<b>Add-on Service</b>		<b>3 years (Wifi 6)</b>	
<b>Item</b>	<b>Description</b>	<b>Additional monthly price</b>	<b>Additional annual price</b>
Wi-Fi coverage for other areas	<b>Specified in Section 3.1 &amp; 3.2</b>		
Broadband service	<b>Specified in Section 3.1 &amp; 3.2</b>		
Authentication Method	<b>Specified in Section 3.1 &amp; 3.2</b>		
Session Control	<b>Specified in Section 3.1 &amp; 3.2</b>		
WLAN Access Control	<b>Specified in Section 3.1 &amp; 3.2</b>		
Internet Content Filtering Service	<b>Specified in Section 3.1 &amp; 3.2</b>		
Integration of networks	<b>Specified in Section 3.1 &amp; 3.2</b>		
Internet addresses subscription &	<b>Specified in Section 3.1 &amp; 3.2</b>		

<b>Add-on Service</b>		<b>3 years (Wifi 6)</b>	
<b>Item</b>	<b>Description</b>	<b>Additional monthly price</b>	<b>Additional annual price</b>
configuration			
Monitoring of Wi-Fi network	<b>Specified in Section 3.1 &amp; 3.2</b>		
Redundancy	<b>Specified in Section 3.1 &amp; 3.2</b>		
Wi-Fi Service Recovery	<b>Specified in Section 3.1 &amp; 3.2</b>		
Support hours	<b>Specified in Section 3.1 &amp; 3.2</b>		
Reporting	<b>Specified in Section 3.1 &amp; 3.2</b>		
Contract End Arrangements	<b>Specified in Section 3.1 &amp; 3.2</b>		

### 3. Wi-Fi.HK Service

Wi-Fi coverage area of Wi-Fi.HK :	Specified in Section 6
Will you provide free Wi-Fi.HK service (Y/N) ?	Y/N (to be input by Contractor)

### 4. Details of equipment to be proposed in the Buildup of Wi-Fi network in the School

Items	Quantity	Model
<ul style="list-style-type: none"> <li>● Local-based physical controller installed at school:</li> <li>Controller Specification 10G controller included</li> <li>1- 100 access points</li> <li>1-5 Gbps IPS</li> <li>1x 10G SFP+*,</li> <li>8x GbE RJ45 LAN ports</li> <li>1x 2.5 GbE WAN ports</li> <li>2x 3.5" NVR HDD bays</li> <li>Built-in 128 GB SSD</li> </ul>		

Access Points	59	
Router/Firewall	all included	
Core Switch	all included	
Access PoE Switches	at least 7	
LAN Cables	all included	
Others (please specify)		

**5. The Tenderer to provide details of the sub-contract service involved in the proposal for the project implementation, service operation and maintenance in the format listed below**

Name of Sub-Contractor	Sub-contract service	Roles and responsibility

**6. The Tenderer to provide case reference of past deployment in Wi-Fi100/Wi-Fi900 with Sub-Contractors details in the format listed below**

Name of School	Name of Sub-Contractor	Sub-contract service	Roles and responsibility

**7. Wi-Fi case experiences (Please tick in the appropriate box):**

1. Less than 200 Wi-Fi case experiences	<input type="checkbox"/>
2. At least 200 or more Wi-Fi case experiences	<input type="checkbox"/>

**8. A floor plan (provided by the School) is attached.**

Annex: Floor Plan of the School

**Marking Scheme for Tender**

The marking Scheme will involve two stages including:

**Stage 1**

The tender is assessed according to all the requirements stated in the Appendix I in this stage. The tender will not be assessed further in the case that the tender does not meet all the requirements stated in the Appendix I.

**Stage II**

The tender must meet all the requirements stated in Appendix I at this stage. The service, the quality, the price and the credibility stated in Appendix I provided by the Company will be assessed further.

Credibility	10%
Service	20%
Quality	20%
Pricing	50%
Total Weight	100%

		Assessment Criteria	Weighting
Credibility (10%)	1.	Company background. IT project experiences. Contractor's Experience and Goodwill in building up WiFi network and infrastructure upgrade in schools over the past years	10%
Service (20%)	2.	System software and configuration (Technical architecture, security, resilience)	10%
	3.	Composition of On-Going Support/ Maintenance Services	10%
Quality (20%)	4.	Proposed approach and methodology	10%
	5.	Manufacturer's brand name and goodwill, skill level, compatibility and stability	10%
Pricing (50%)	6.	Contractor's quoted price	50%
		Total Weight	100%